



UCLA PD CRIME ALERT

September 18, 2009

ROBBERY at STRUCTURE 7

Date/ Time: September 18, 2009 at approximately 7:50 p.m.

Location: UCLA Parking Structure 7 Level P2

Weapon: Knife used to threaten victims

Suspect: Male, Hispanic, approximately 18 years old, 5'09", 200 lbs, shaved brown hair, brown "oval" eyes, "round" face, wearing dark blue shirt, blue jeans, white shoes. **See page 2 for composite sketch.**

On 09/18/09 at approximately 7:50 p.m, 3 females entered the elevator located on the Bruin Walk/Ground Level, at the southeast corner of the Intramural Field. The suspect followed the 3 female victims onto the elevator, brandished a knife, and demanded the victims' wallets. The victims gave the suspect their wallets. The elevator doors opened on Level P1 of the UCLA Parking Structure 7, and the suspect exited and fled on foot in an unknown direction.

The victims were not injured.

UCLA Police are looking for the community's help in identifying the suspect.

UCLA PD would like to remind the community of a few safety tips:

- Always be aware of your surroundings
- Walk in well lit areas
- Walk with a friend or someone you trust
- Please refer to the UCLA PD's website for more detailed crime prevention and safety tips www.ucpd.ucla.edu

If confronted by a robber, UCLA PD suggests:

- Comply with the robber's request (your property is not worth your life)
- Obtain a detailed description of the suspect (what stands out?)
- Contact UCLA PD once you are safe (310-825-1491)

If you have information regarding this incident or possible suspect information, please call UCLA PD at (310) 825-1491 and reference report #09-2265.

For Public Distribution



UCLA PD CRIME ALERT

Structure 7 Robbery--Composite sketch

Suspect: Male, Hispanic, approximately 18 years old, 5'09", 200 lbs, shaved brown hair, brown "oval" eyes, "round" face, wearing dark blue shirt, blue jeans, white shoes.



If you have information regarding this incident or possible suspect information, please call UCLA PD at (310) 825-1491 and reference report #09-2265.

For Public Distribution